## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	40594	(USB) <b>AN</b> D (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:39
S2	318	(USB) AND (NAK) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:39
S3	201	(USB) AND (NAK) AND (buffer FIFO) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 11:43
\$4	28	(USB) AND ((NAK) NEAR3 (count number amount)) AND (buffer FI FO) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 13:15
S5	0	((NAK) NEAP3 (count number amount)) SAME ((allocat\$3 adjust\$3 resize modify\$3 modification change changing) NEAP3 (buffer FIFO)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 13:42
S6	32	((NAK) NEAR3 (count number amount)) AND ((allocat\$3 adjust\$3 resize modify\$3 modification change changing) NEAR3 (buffer FIFO)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:45
S7	96	((indicator error flag) NEAR3 (count number amount)) SAME ((allocat\$3 adjust\$3 resize modify\$3 modification change changing) NEAR3 (buffer FIFO)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:45

\$8	88	((indicator error flag) NEAR3 (frequency rate)) SAME ((allocat\$3 adjust\$3 resize modify\$3 modification change changing) NEAR3 (buffer FIFO)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:45
<b>S</b> 9	88	((indicator error flag NACK) NEAR3 (frequency rate)) SAME ((allocat\$3 adjust\$3 resize modify\$3 modification change changing) NEAR3 (buffer FIFO)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 14:45
S10	4	((NACK) NEAR3 (count number amount)) AND ((allocat\$3 adjust\$3 resize modify\$3 modification change changing) NEAR3 (buffer FIFO)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:00
S11	2	"20060056813".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:04
S12	2	"20040024921".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/14 15:04
S13	2278	(increas\$3 decreas\$3) NEAR3 (number amount) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:54
S14	1884	(increas\$3) NEAR3 (number amount) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:54
S15	1053	(increas\$3) NEAR3 (number) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:54

S16	17	(USB) AND (increas\$3) NEAR3 (number) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 16:55
S17	1	(reassign) NEAR3 (number) NEAR3 (buffer) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:04
S18	2952	(buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:04
S19	467	(assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:05
S20	14	(assign\$3 allocat\$3) NEAR3 (more less) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:05
S21	42	(assign\$3 allocat\$3) NEAR3 (more less number) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:05
S22	0	(assign\$3 allocat\$3) NEAR3 (from) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:10
S23	467	(assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:10
S24	26	(USB) AND (assign\$3 allocat \$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:10

<b>S</b> 25	0	("buffer.ab") AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:11
S26	0	("buffer.ab.") AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
S27	1017182	(buffer)".ab" AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
S28	257	(buffer).ab. AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR3 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
S29	229	(buffer).ab. AND (assign\$3 allocat\$3) NEAR3 (buffer) NEAR2 (pool) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
<b>S</b> 30	308	(buffer).ab. AND (assign\$3 allocat\$3 manage\$4) NEAR3 (buffer) NEAR2 (pool) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:12
<b>S</b> 31	145	((buffer) NEAR2 (pool)).ab. AND (assign\$3 allocat\$3 manage\$4) NEAR3 (buffer) NEAR2 (pool) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/03 17:13
<b>S</b> 32	1128	(increas\$3) NEAR2 ((buffer) NEAR2 (size)) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 16:38
S33	10	(increas\$3) NEAR2 ((max maximum) NEAR2 (buffer) NEAR2 (size)) AND (@ad< "20030819" @rlad< "20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 16:38

S34	21	(increas\$3 adjust\$4 reduce reduc\$4 decreas\$3) NEAR2 ((max maximum) NEAR2 (buffer) NEAR2 (size)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 16:41
S35	2615	(increas\$3 adjust\$4 reduce reduc\$4 decreas\$3) NEAR2 ((buffer) NEAR2 (size)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 17:16
S36	52	(dynamically) WITH (increas \$3 adjust\$4 reduce reduc\$4 decreas\$3) NEAR2 ((buffer) NEAR2 (size)) AND (@ad<"20030819" @rlad<"20030819")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/01 17:16

## 2/17/2009 12:26:39 PM

C:\ Documents and Settings\ ssun\ My Documents\ EAST\ Workspaces\ 10787148 - NAK Count Based Buffer Adjust.wsp